

November 2022 UK TRADE PRICE LIST in Sterling (Unit prices, VAT excluded). *Prices subject to change without notice.*

Range	Stock Code	Per-Metre Prices			Description
		≥100m	≥500m	TRADE	
Installation Cables - Audio					
AUDIO - STARQUAD MICROPHONE Event™ 220Series: LSZH FireFighter® <i>Individually foil-shielded quads with overall foil shield & drain wire. Blue, White, Red & Green inner sheaths. 4 x (7 x 0.20mm) 0.22mm²</i>	ML4/12H	2.86	1.75	1.33	1 x Quad install mic cable, with standard LSZH Jacket. 4.7mmØ - Grey Jacket
	220-6601	2.80	1.72	1.31	1 x Quad install mic cable, with PUR ultra-flexible Jacket 3.7mmØ - British Racing Green Jacket
	220-6604	20.14	12.37	9.40	4 x Quad install mic cable, with PUR ultra-flexible Jacket 11.1mmØ - British Racing Green Jacket
AUDIO - TIE-LINES EventSeries® LSZH FireFighter® jackets <i>Audio Tie-line cables for both analogue and true 110Ω AES/EBU performance. Can also be used for DMX lighting control.</i> <i>Oxygen free tinned copper, 7 x 0.20mm (0.22mm²) cores, oxygen-free stranded tinned copper drain-wire (26AWG) with Aluminium/polyester tape screen (Alu. inside).</i> <i>Bend radius = 7.5 x Ø</i> <i>Working Temperature: -30° C to +85° C</i>	110-4501-01	1.14	0.70	0.53	1 x pair: Red/Black cores. 3.5mmØ - Black Jacket
	110-4601-01	1.00	0.61	0.47	As above, but with Blue/White cores. 3.5mmØ - Black Jacket
	110-4601-02	1.00	0.61	0.47	As above, Blue Jacket
	110-4601-03	1.00	0.61	0.47	As above, Green Jacket
	110-4601-04	1.00	0.61	0.47	As above, Red Jacket
	110-4601-05	1.00	0.61	0.47	As above, Grey Jacket
	110-4601-06	1.00	0.61	0.47	As above, Yellow Jacket
	110-4601-08	1.00	0.61	0.47	As above, Orange Jacket
	110-4601-10	1.00	0.61	0.47	As above, White Jacket
	110-4601-12	1.00	0.61	0.47	As above, Brown Jacket
	110-i4602	3.86	2.37	1.80	2 x pair: Blue/White cores. 9.1mmØ - Black Jacket
	110-i4604	6.57	4.03	3.07	4 x pair: Blue/White cores. 10.7mmØ - Black Jacket
	110-i4608	12.57	7.72	5.87	8 x pair: Blue/White cores. 14.0mmØ - Black Jacket
	110-i4612	18.00	11.05	8.40	12 x pair: Blue/White cores. 17.1mmØ - Black Jacket
	110-i4616	25.14	15.44	11.73	16 x pair: Blue/White cores. 19.1mmØ - Black Jacket
110-i4624	31.43	19.30	14.67	24 x pair: Blue/White cores. 25.6mmØ - Black Jacket	
AUDIO - LOUDSPEAKER EventSeries® LSZH FireFighter® jackets <i>Twin-Axial Loudspeaker cables with excellent flexibility</i> <i>Stranded oxygen-free bare copper.</i> <i>Bend radius = 10 x Ø</i> <i>Working Temperature: -5° C to +80° C (installed) / -20° C to +80° C (static)</i> <i>IEC 60332-1</i>	ZHP2075	1.49	0.91	0.69	2 x 0.75mm ² cores. 5.2mmØ - Black Jacket
	ZHP215	2.29	1.40	1.07	2 x 1.5mm ² cores. 6.0mmØ - Black Jacket
	ZHP215-10	2.29	1.40	1.07	2 x 1.5mm ² cores. 6.0mmØ - White Jacket
	ZHP415	4.86	2.98	2.27	4 x 1.5mm ² cores. 7.3mmØ - Black Jacket
	ZHP225	4.34	2.67	2.03	2 x 2.5mm ² cores. 7.6mmØ - Black Jacket
	ZHP225-10	4.34	2.67	2.03	2 x 2.5mm ² cores. 7.6mmØ - White Jacket
	ZHP425	6.86	4.21	3.20	4 x 2.5mm ² cores. 9.0mmØ - Black Jacket
	ZHP825	14.29	8.77	6.67	8 x 2.5mm ² cores. 12.1mmØ - Black Jacket
	ZHP240	6.29	3.86	2.93	2 x 4.0mm ² cores. 8.8mmØ - Black Jacket
	ZHP440	11.43	7.02	5.33	4 x 4.0mm ² cores. 10.2mmØ - Black Jacket
	ZHP840	23.43	14.39	10.93	8 x 4.0mm ² cores 13.6mmØ - Black Jacket
	ZHP260	9.71	5.96	4.53	2 x 6.0mm ² cores 10.4mmØ - Black Jacket



Audio Visual, Broadcast and Entertainment Technology Bulk Cable & Accessories

2B Heard Ltd
 Unit 4F, Shefford Industrial Estate
 St Francis Way
 Shefford
 Bedfordshire SG17 5DZ
 Tel: +44 (0) 330 088 9271
 W: www.2b-heard.com

November 2022 UK TRADE PRICE LIST in Sterling (Unit prices, VAT excluded). *Prices subject to change without notice.*

Range	Stock Code	Per-Metre Prices			Description
		≥100m	≥500m	TRADE	
AUDIO - LOUDSPEAKER (HOME CINEMA) Event™ 500-Series LSZH FireFighter® jackets <i>specifically designed for in-wall multi-room and home cinema installations.</i> Flame Retardancy: IEC 60332-1 (single cables) / IEC 60332-3 (bunched cables) Halogen Free: IEC 60754 series Smoke Emission: IEC 61034 series	5002C1444-01	2.86	1.75	1.33	2 x 14AWG / 1.6mm ² 7.2mmØ - Black Jacket
	5002C1644-07	2.29	1.40	1.07	2 x 16AWG / 1.3mm ² 6.0mmØ - Pink Jacket
	5004C1444-07	6.57	4.03	3.07	4 x 14AWG / 1.6mm ² 7.2mmØ - Pink Jacket
	5004C1644-07	4.14	2.54	1.93	4 x 16AWG / 1.3mm ² 7.15mmØ - Pink Jacket
Installation Cables - Broadcast					
VIDEO - Co-Axial EventSeries® LSZH FireFighter® Serial Video <i>A range of 75Ω HD Coaxial cables for installation and outside broadcast, up to and including versions for 4K/UHDTV(12G-SDI)</i>	HD300-01	1.29	0.79	0.60	1 x 0.3mm ² solid-core with screen and tinned copper braid cable. 2.54mmØ - Black Jacket HDTV and Serial Digital Video
	HD600-13	2.00	1.23	0.93	1 x 0.65mm ² solid-core with screen and tinned copper braid cable. 4.5mmØ - Turquoise Jacket Serial Digital Video Cable
	HD720-13	2.57	1.58	1.20	1 x 0.8mm ² solid-core with screen and tinned copper braid cable. 6.0mmØ - Turquoise Jacket Serial Digital video cable.
	HD1000	4.14	2.54	1.93	1 x 1.0mm ² solid-core with screen and tinned copper braid cable. 4.5mmØ - Turquoise Jacket Serial Digital Video Cable
	HD1630	8.00	4.91	3.73	1 x 1.63mm ² solid-core with screen and tinned copper braid cable. 10.2mmØ - Turquoise Jacket HD1630 HDTV and Serial Digital Video Cable 75Ω. Extremely Low-Loss for 4K / UHDTV (12G-SDI)
RF LSZH FireFighter® Coaxial cables for low-power signal and RF use.	RG58C/U-MIL LSZH	1.43	0.88	0.67	1 x 0.9mm ² co-axial, stranded (19/0,18 mm) RG58 50Ω. 6.0mmØ - Black jacket UV-resistant cable for low-power signal & RF use. 50mm bend-radius.
	RG59B/U-LSZH-MIL	1.43	0.88	0.67	1 x 0.59mm ² co-axial, solid-core RG59 50Ω. 6.15mmØ - Black jacket UV-resistant cable for low-power signal & RF use. 50mm bend-radius.
DIGITAL AUDIO AES/EBU Co-Ax cables for HD/SD applications	HD850-01	4.71	2.89	2.20	1 x 22AWG stranded-core with screen and tinned copper braid cable. 6.15mmØ - Black Jacket Serial Digital Video Cable
	HD920-01	5.29	3.25	2.47	1 x 1.1mm ² standed-core with screen and tinned copper braid cable. 7.0mmØ - Black Jacket <i>Extended-distance</i> Serial Digital Video Cable for O/B vehicles etc
Hybrid Camera cables EventSeries® Camera Cables. PVC Triax & LSZH FireFighter® SMPTE 311M Hybrid HDTV Fibre-Optic (audio, power and HD-SDI video over longer distances).	406311M	12.86	7.89	6.00	Fibre-Optic Hybrid. Aux: 4 x 0.6mm stranded / Signal: 2 x 0.22mm ² stranded / Fibre Optic: 2 x 9/125µm Central element: 2.40mmØ (19 x 0.35mm Steel stranded) - Black outer jacket Bend radius (Dynamic / Static): 15 x Ø / 10 x Ø
	806311M	14.00	8.60	6.53	Fibre-Optic Hybrid. PUR jacketed cable for extra flexibility. Aux: 4 x 0.6mm ² stranded / Signal: 2 x 0.22mm ² stranded / Fibre Optic: 2 x 9/125µm. Central element: 2.15mmØ (19 x 0.30mm Steel stranded) - Black outer jacket Bend radius (Dynamic / Static): 15 x Ø / 10 x Ø

November 2022 UK TRADE PRICE LIST in Sterling (Unit prices, VAT excluded). *Prices subject to change without notice.*

Range	Stock Code	Per-Metre Prices			Description
		≥100m	≥500m	TRADE	
Installation Cables - CAT					
DATA - CAT - 305m boxes	60091631	Each box list 600.00	n/a	(per box) 280.00	CAT6a U/FTP 4 x pair 23AWG/0.258mm ² solid bare copper wires. 7.1mmØ - Pastel Blue (RAL 5024) Jacket Bend radius: 8 x Ø (dynamic) / 4 x Ø (static)
	60025433	Each box list 434.29	n/a	(per box) 202.67	CAT6 HD U/UTP 4 x pair 23AWG/0.258mm ² solid bare copper wires. 7.1mmØ - Violet (RAL4001) Jacket Bend radius: 15 x Ø (static) / 20 x Ø (dynamic)
DATA - CAT	5001	1.29	0.79	0.60	CAT6 U/UTP 4 x pair 20AWG/0.54mm ² solid bare copper wires. 6.15mmØ - Ivory Jacket Bend radius: 8 x Ø (dynamic) / 4 x Ø (static)
	5007	1.43	0.88	0.67	CAT6 F/UTP 4 x pair 24AWG/0.205mm ² solid bare copper wires. 7.0mmØ - Ivory Jacket Bend radius: 8 x Ø (dynamic) / 4 x Ø (static)
	7291	2.00	1.23	0.93	CAT6a F/UTP 4 x pair 23AWG/0.258mm ² solid bare copper wires. 7.1mmØ - Ivory Jacket Bend radius: 8 x Ø (dynamic) / 4 x Ø (static)
Industrial Ethernet: CAT 7 in industrial-grade PUR FHF jacket	6485	10.00	6.14	4.67	CAT7 SU/FTP 4 x shielded-pair (23 x 7AWG) stranded bare copper wires. 8.0mmØ - Black jacket Bend radius: 8 x Ø (tensile load) / 4 x Ø (without tensile load)
Installation Cables - SureLIGHT® FIBRE					
DATA - FIBRE	104044TB-01	3.43	2.11	1.60	OM4, Cat A, 4-core 50/125 TBIDC. 6.0mmØ - Black Jacket Bend radius: 8 x Ø (dynamic) / 20 x Ø (static)
	104084TB-01	5.14	3.16	2.40	OM4, Cat A, 8-core 50/125 TBIDC. 7.3mmØ - Black Jacket Bend radius: 8 x Ø (dynamic) / 20 x Ø (static)
	104124TB-01	7.43	4.56	3.47	OM4, Cat A, 12-core 50/125 TBIDC. 8.3mmØ - Black Jacket Bend radius: 8 x Ø (dynamic) / 20 x Ø (static)
	108044TB-01	1.57	0.96	0.73	SMF, 4-core 9/25 TBIDC. 6.24mmØ - Black Jacket Bend radius: 15 x Ø (long-term) / 25 x Ø (short-term)
	108084TB-01	1.94	1.19	0.91	OS2, 8-core 9/125 TBIDC. 6.5mmØ - Black Jacket Bend radius: 15 x Ø (long-term) / 25 x Ø (short-term)
	108124TB-01	1.60	0.98	0.75	G652.D, 12-core 9/125 TBIDC. 7.3mmØ - Black Jacket Bend radius: 15 x Ø (long-term) / 25 x Ø (short-term)
Installation Cables - Power					
EventSeries® LSZH FireFighter® ZHL multicore cables <i>Power cables for installation. Extra-supple compounds for good flexibility and mechanical resistance.</i>	ZHL-315-JB	3.09	1.89	1.44	3-core x 1.5mm ² . 8.3mmØ - Black Jacket
	ZHL-325-JB	3.43	2.11	1.60	3-core x 2.5mm ² . 10.0mmØ - Black Jacket
	ZHL1815	14.03	8.61	6.55	Socapex. 18 x 1.5mm ² . 14.8mmØ - Black Jacket
	ZHL1825	21.14	12.98	9.87	Socapex. 18 x 2.5mm ² . 18.0mmØ - Black Jacket

November 2022 UK TRADE PRICE LIST in Sterling (Unit prices, VAT excluded). *Prices subject to change without notice.*

Range	Stock Code	Per-Metre Prices			Description
		≥100m	≥500m	TRADE	
Touring Cables - Audio Signal					
AUDIO - MICROPHONE / INSTRUMENT EventSeries® Microphone Cables <i>For flying leads. 1 x pair & screen mic cable. MLX2 oxygen-free with LAP screen, enlarged sheath & Kevlar reinforced strain-relief.</i> 6.35mmØ Conductor: (28 x 0.10mm) 0.22m²	MLX2-01	1.71	1.05	0.80	1 x pair microphone cable, Black Jacket. 6.35mmØ
	MLX2-02	1.71	1.05	0.80	As above, Blue Jacket
	MLX2-03	1.71	1.05	0.80	As above, Green Jacket
	MLX2-04	1.71	1.05	0.80	As above, Red Jacket
	MLX2-05	1.71	1.05	0.80	As above, Grey Jacket
	MLX2-06	1.71	1.05	0.80	As above, Yellow Jacket
	MLX2-07	1.71	1.05	0.80	As above, Orange Jacket
	MLX2-08	1.71	1.05	0.80	As above, Violet Jacket
	STARQUAD: Oxygen Free Copper. Conductor: (28 x 0.10mm) 0.22m ²	MLX4	2.57	1.58	1.20
EventSeries® Instrument/Guitar Cable For flying leads.	ICEX-01	2.29	1.40	1.07	Unbalanced double-shielded Instrument Cable with enlarged outer-sheath. 6.2mmØ - Black Jacket
AUDIO - TIE-LINES EventSeries® <i>Multi Pair Analogue/Digital Audio Cables for use as flying leads in touring applications. Pre-jacketed digital/analogue audio multi cores with individually foil-shielded pairs and overall foil shield. Very flexible and tough TPM sheath. Impedance of 110Ω AES/EBU is perfect for both analogue and AES/EBU signals - as well as DMX lighting-control.</i>	110-1602	3.57	2.19	1.67	2 x pair: 9.2mmØ - Black Jacket
	110-1604	4.86	2.98	2.27	4 x pair: 10.8mmØ - Black Jacket
	110-1608	9.14	5.61	4.27	8 x pair: 14.5mmØ - Black Jacket
	110-1612	12.29	7.54	5.73	12 x pair: 17.5mmØ - Black Jacket
	110-1616	24.57	15.09	11.47	16 x pair: 19.2mmØ - Black Jacket
	110-1624	37.71	23.16	17.60	24 x pair: 24mmØ - Black Jacket
Touring Cables - Loudspeaker					
For Flying-Leads EventSeries® <i>Tour Grade VHP Loudspeaker Cable for flying leads. Extra-supple compounds for soft & pliable flexibility and strength.</i>	VHP215	2.54	1.56	1.19	2 x 1.5mm ² cores, twin-axial Touring spkr cable. 6.25mmØ - Black Jacket
	VHP225	4.34	2.67	2.03	2 x 2.5mm ² cores, twin-axial Touring spkr cable. 7.40mmØ - Black Jacket
	VHP425	7.14	4.39	3.33	4 x 2.5mm ² cores Touring spkr cable. 10.25mmØ - Black Jacket
	VHP825	12.57	7.72	5.87	8 x 2.5mm ² cores Touring spkr cable. 15.80mmØ - Black Jacket
	VHP440	11.43	7.02	5.33	4 x 4.0mm ² cores Touring spkr cable. 12.20mmØ - Black Jacket
	VHP840	22.57	13.86	10.53	8 x 4.0mm ² cores Touring spkr cable. tbc mmØ - Black Jacket

November 2022 UK TRADE PRICE LIST in Sterling (Unit prices, VAT excluded). *Prices subject to change without notice.*

Range	Stock Code	Per-Metre Prices			Description
		≥100m	≥500m	TRADE	
Touring Cables - DATA					
DATA - CAT	2442	2.71	1.67	1.27	CAT5e U/UTP 24/7AWG 4 x pair (stranded) with flexible polymer compound Dual-Jacket 7.50mmØ - Black Jacket Outer jacket can be removed to facilitate termination to RJ45
<i>Tactical Ethernet cables for flying leads</i>	6485	10.00	6.14	4.67	CAT7 SU/FTP 23/7awg 4 x pair (stranded). Flexible PUR FHF Jacket & wire braid. 8.0mmØ - Black Jacket
DATA - DMX	DMX-01	2.43	1.49	1.13	1 x pair & screen, 500V FRLS . 5.75mmØ - Black Jacket
<i>110Ω DMX cable for flying leads. Outer-jackets in choice of FRLS (Flame-Retardant Low-Smoke) or TPE (Thermoplastic Elastomer). Individually-jacketed Black & Red 16 x 0.20mm (0.5mm²) cores.</i>	DMX-04	2.43	1.49	1.13	1 x pair & screen, 500V FRLS . 5.75mmØ - Red Jacket
	DMX-P-01	2.14	1.32	1.00	1 x pair & screen, 600V TPE . 5.75mmØ - Black Jacket
Touring Cables - HYBRID					
POWER & Audio or DMX	HYB-3902	9.43	5.79	4.40	Combined 110Ω single-pair screened and 3 x 1.5mm ² mains power cables in overall TPM sheath. 14.6mmØ - Black Jacket Individual jackets enable single-pair screened and mains cables to be terminated to separate connectors (such as XLR3 or XLR5 and CEE16 or PowerCON)
<i>Combined 3-core Power & single-pair screened Audio or Data, suitable for 110Ω AES/EBU, balanced analogue signals & DMX. Use as combined audio/data and power flying leads for active loudspeakers or DMX-controlled lighting</i>					
Touring Cables - POWER					
SUPremeFlex Harmonised Rubber Cable	H07RN-F31.5	2.86	1.75	1.33	3 x 1.5mm ² H07RN-F. c10.0mmØ - Black Jacket
<i>Flame- and oil-retardant & self-extinguishing for flying power leads. EM2 Elastomer outer sheath. For use in ambient temperatures down to -25° C and up-to 50° C on-cable-surface temperature.</i>	H07RN-F32.5	6.69	4.11	3.12	3 x 2.5mm ² H07RN-F. c13.0mmØ - Black Jacket
	H07RN-F41.5	4.29	2.63	2.00	4 x 1.5mm ² H07RN-F. c12.0mmØ - Black Jacket
	H07RN-F42.5	8.43	5.18	3.93	4 x 2.5mm ² H07RN-F. c14.0mmØ - Black Jacket
	H07RN-F56	14.57	8.95	6.80	5 x 6.0mm ² H07RN-F. c20.0mmØ - Black Jacket
Socapex FHL	FHL1815	12.57	7.72	5.87	18 x 1.5mm ² H07RN-F. 14.8mmØ - Black Jacket
<i>Soft Thermoplastic Polymer-jacketed 18-core cables for Socapex flying leads. Bend radius (all wires): 4 x Ø (fixed) / 7.5 x Ø (flexing)</i>	FHL1825	24.29	14.91	11.33	18 x 2.5mm ² H07RN-F. 18.1mmØ - Black Jacket

November 2022 UK TRADE PRICE LIST in Sterling (=UNit prices, VAT excluded). Prices subject to change without notice.

Range	Stock Code	Prices			Description
		Unit	List	TRADE	
CONNECTORS					
BNC Connectors 75Ω BNC connectors <i>Nickel bodies and brass pins.</i> <i>See below for our range of compatible Termination Tools</i>	BNC1C59	each	1.32	0.93	BNC: for RG59B-U / RG62A-U / RG210 / URM70, Male (Jack), Crimp - use Tool kit ref TL-9565
	BNC1C1/3	each	2.00	1.41	BNC: for PSF1-3, Male (Jack), Crimp - use Tool kit ref TL-9565
	BNC1C179	each	2.74	1.93	BNC: for G179 / 658500 / RG187A-U / URM111, Male (Jack), Crimp - use Tool kit ref TL-9565
	BNC1C11	each	6.80	4.80	BNC: for RG11, Male (Jack), Crimp - use Tool kit ref TL-9565
BNC High Definition Connectors Event HD-BNC 12GHz HD Connectors <i>High-performance professional connectors to properly complement the performance of our HD cable range. Featuring nickel or chrome-plated turned-brass bodies with gold-plated contacts.</i> <i>Cable-compatibility is indicated in each connector's Description.</i> TERMINATION: <i>The ideal tool to effect the best termination is also indicated in the connector's Description.</i> <i>See below for our range of compatible Termination Tools</i>	BNC1CHD30012G	each	3.02	2.13	Connector, BNC HD300, Male (Jack), Crimp (Nickel)
	ES-4106-12G	each	3.59	2.53	Connector, BNC HD600, Male (Jack), Crimp (Nickel)
	BNC1CHD72012G	each	3.59	2.53	Connector, BNC HD720, Male (Jack), Crimp (Nickel)
	BNC1CHD92012G	each	3.59	2.53	Connector, BNC HD920, Male (Jack), Crimp (Nickel)
	ES-4108-12G	each	3.59	2.53	Connector, BNC HD1000, Male (Jack), Crimp (Nickel)
	BNC1CHD163012G	each	7.37	5.20	Connector, BNC HD1630, Male (Jack), Crimp (Nickel)
RJ45 Connectors <i>RJ45s manufactured with high-quality materials to ensure efficient and low-loss data-streaming, when properly terminated.</i>	PXCAT6	each	0.51	0.36	RJ45 Unshielded: Round CAT6. For stranded or solid cores from 22-26AWG Polycarbonate housing & gold-plated phosphor-bronze contacts
	PXCAT6S8XL	each	2.36	1.67	RJ45 Shielded: CAT5e / 6 / 6a. For stranded or solid wire from 22-26AWG with cores up to 1.15mm Ø Polycarbonate housing, Nickel-plated copper Shielding & gold-plated contacts
	PXCAT6S4	each	1.23	0.87	RJ45 Shielded: Round CAT5e, 6, 6A FTP. Up to 8mm Ø with stranded or solid cores up to 1.5mm Ø Polycarbonate housing, Nickel-plated copper Shielding & gold-plated phosphor-bronze contacts
	PGSXL	each	32.13	22.67	RJ45 Shielded: CAT6 / 6a. For XXL cables up to 8mm Ø with stranded or solid cores up to 1.5mm Ø Polycarbonate housing, brass shell & gold-plated phosphor-bronze contacts



Audio Visual, Broadcast and Entertainment Technology Bulk Cable & Accessories

2B Heard Ltd
 Unit 4F, Shefford Industrial Estate
 St Francis Way
 Shefford
 Bedfordshire SG17 5DZ
 Tel: +44 (0) 330 088 9271
 W: www.2b-heard.com

November 2022 UK TRADE PRICE LIST in Sterling (=Unit prices, VAT excluded). Prices subject to change without notice.

Range	Stock Code	Prices			Description
		Unit	List	TRADE	
TOOLS					
BNC Crimping Tools <i>High-quality precision-made termination tools that match our cables and connectors.</i>	TL-1002HD	each	94.50	66.67	Tool: BNC Crimper c/w 2.54 mm, 3.25 mm & 10.90 dies for: HD1630 12GHz, RG8, RG11, RG174, RG179 & RG213 connectors
	TL-1007HD	each	94.50	66.67	Tool: BNC Crimper: HD300 / HD600 12GHz connectors Hardened-steel ratchet-controlled crimp
	TL-1021HD	each	94.50	66.67	Tool: BNC Crimper c/w 1.07mm, 4.52mm, 6.48mm & 7.06mm dies for: HD300, HD720 & HD1000 connectors
	TL-1027HD	each	143.64	101.33	Tool: BNC Crimper c/w 6.48mm, 5.41mm, 2.49mm, 1.73mm & 8.15mm dies for: RG6, RG58, RG59 & RG62 connectors
DELIVERY CHARGES					
Direct from the main warehouse Cable is often urgently required on-site.. We can get it to you quickly! PLEASE NOTE: Next-day deliveries can only be effected within UK-mainland locations . Some more remote areas may also require longer than 24 working hours for carriers to deliver - please call for more information.	DelCab-SDSV	each	-	POA	SAME DAY (within M25) : Small Van
	DelCab-SDLV	each	-	POA	SAME DAY (within M25) : Large Van
	DelCab-FSND	each	-	FOC	FOC STANDARD NEXT-DAY (delivery between 09:00-17:00). SPECIAL OFFER FOR ORDERS VALUED AT ≥£350
	DelCab-SND	each	-	17.00	STANDARD NEXT-DAY (delivery between 09:00-17:00)
	DelCab-ND09	each	-	60.00	NEXT-DAY EXPRESS (delivery before 09:00)
	DelCab-ND10	each	-	47.00	NEXT-DAY FAST (delivery before 10:00)
	DelCab-ND12	each	-	27.00	NEXT-DAY BEFORE NOON (delivery before 12:00)
	<i>Nett prices - no Trade-discount on deliveries</i>				