

Ceiling-Mount, KZ14 RAL

Custom Accessories

2B-Heard Ltd

Unit 4F, Shefford Industrial Estate St Francis Way Shefford Bedfordshire SG17 5DZ Tel: +44 (0) 330 088 9271

W: www.2b-heard.com

2023 Q2 UK PRICE LIST in UK £ Sterling (Unit prices, VAT excluded). Prices subject to change without notice.

* Horizontal pan angle (if necessary - for instance, if mount itself cannot be positioned at required angle)

Product Name	Stock-Code	List Price £	Images (not to scale)	Description			
A range of bespoke brackets, designed and 3D-printed in tough fire-retardent polymer resin - all in-house at 2B. Designed to fit under ceilings, into corners, or onto walls and other surfaces to facilitate fixed, user-defined vertical or horizontal loudspeaker offset angles - so that your K-array loudspeakers point exactly where you need them to. Very discreet, each bracket can be supplied raw and unpainted, or in any standard RAL colour. Sized to match each loudspeaker's profile, for maximum "invisibility". Many of the wall, flat and wedge brackets are almost entirely hidden from view, once the loudspeaker has been fitted. Each bracket incorporates a channel through which the loudspeaker cable can be discreetly routed. EPECIAL FINISHES: We can also supply brackets in special finishes to exactly match their backgrounds. To price anything out-of-the-ordinary, please contact us.							
Designing Your Bespoke Bracket				for more information, see: https://2b-heard.co.uk/custom-accessories			
Variations Design Time	2B-BDES	100.00		ach model of bracket shown below. If all of the brackets ordered are the same model and have the same horizontal and once for the entire batch. Should individual brackets require differing offsets, the Design-Cost is applied to each variation of AD for the 3D printer.			
Ceiling-Mounts - Discreet 'Z'-shaped brack	Ceiling-Mounts - Discreet 'Z'-shaped brackets for ceiling-mounting K-array loudspeakers at client-specified vertical offset angles and flat-plates for mounting loudspeakers flush into ceilings						
Ceiling-Mount, KZ1 Unpainted	2B-K-CM KZ1	37.00		Ceiling-mount for Lyzard KZ1: 57mm x 42mm x 21mm @10g			
Ceiling-Mount, KZ1 Black	2B-K-CM KZ1B	80.00		with a UNI 6955 type 'C' 2.9mm countersunk tapping screw. The con When ordering, please specify: * Horizontal pan angle (if necessary - for instance, if mount itself ca	Removal of KZ1's front grille reveals a pair of mounting holes through which the loudspeaker can be fixed to the mount with a UNI 6955 type 'C' 2.9mm countersunk tapping screw. The complete assembly is then fitted to the ceiling.		
Ceiling-Mount, KZ1 White	2B-K-CM KZ1W	80.00			* Horizontal pan angle (if necessary - for instance, if mount itself cannot be positioned at required angle)		
Ceiling-Mount, KZ1 RAL	2B-K-CM KZ1X	80.00		* Vertical tilt angle * Colour & Gloss percentage (if ordering the RAL option)			
Ceiling-Mount, KZ14 Unpainted	2B-K-CM KZ14	51.00		Ceiling-mount for Lyzard KZ14: 100mm x 70mm x 20mm @ 22g			
Ceiling-Mount, KZ14 Black	2B-K-CM KZ14B	114.00		Removal of KZ14's front grille reveals one mounting hole through which the loudspeaker can be fixed to the mount with a UNI 6955 type 'C' 2.9mm countersunk tapping screw. The other end is held securely in-place by the mount's integral retaining-lug. The complete assembly is then fitted to the ceiling.			
Ceiling-Mount, KZ14 White	2B-K-CM KZ14W	114.00		When ordering, please specify:			

* Vertical tilt angle

* Colour & Gloss percentage (if ordering the RAL option)

2B-K-CM KZ14X

114.00



2B-Heard Ltd

Unit 4F, Shefford Industrial Estate St Francis Way Shefford Bedfordshire SG17 5DZ

Tel: +44 (0) 330 088 9271 **W:** www.2b-heard.com

Product Name	Stock-Code	List Price £	Images (not to scale)	Description
Ceiling-Mount, KV25 and 52	2B-K-CM KV252	250.00		
Ceiling-Mount, KV25 and 52 Black	2B-K-CM KV252B	301.00		
Ceiling-Mount, KV25 and 52 White	2B-K-CM KV252W	301.00		
Ceiling-Mount, KV25 and 52 RAL	2B-K-CM KV252X	301.00		
Ceiling Flush-Mounts - for flush-fitting	K-array loudspeakers (above ceilings		
Ceiling Flush-Mount, KZ14 Unpainted	2B-K-CFM KZ14	74.00		Ceiling Flush-mount for Lyzard KZ14: 150mm x 70mm x 28mm @ 33g
Ceiling Flush-Mount, KZ14 Black	2B-K-CFM KZ14B	137.00		A flush-mounting ceiling-plate, supplied with spring-clips to secure the plate in-place. Loudspeaker fits to inside face of plate. When ordering, please specify: * Colour & Gloss percentage (if ordering the RAL option)
Ceiling Flush-Mount, KZ14 White	2B-K-CFM KZ14W	137.00		
Ceiling Flush-Mount, KZ14 RAL	2B-K-CFM KZ14X	137.00		
Corner-Mounts - for mounting K-array lo	udspeakers in the corn	ers of vertica	l planar surfaces, at 45 ⁰ horizontal and client-speci	ified vertical offset angles.
Corner-Mount (int), NO offset, Vertical, KV25 U	2B-K-CMV KV25	148.00		Internal Corner-mount for Vyper KV25: 260mm x 40mm x 53mm @ 160g
Corner-Mount (int), NO offset, Vertical, KV25 E	32B-K-CMV KV25B	316.00	Company C	A back-plate with a 900 triangular rear sits vertically inside the corner between two walls and is secured with screws. A separate front plate is fitted to the loudspeaker - and then the loudspeaker and front plate assembly slides into a locking channel on the back-plate. Removal of KV25 II's magnetic front grille reveals a pair of M5 mounting holes. Loudspeaker
Corner-Mount (int), NO offset, Vertical, KV25 \	2B-K-CMV KV25W	316.00		can be fixed to the mount with 4mmØ/Imperial size 8 screws (NOT supplied).
Corner-Mount (int), NO offset, Vertical, KV25 F	2B-K-CMV KV25X	316.00		When ordering, please specify: * Vertical tilt angle (horizontal is fixed at 450) * Colour & Gloss percentage (if ordering the RAL option) * Corner of wall



2B-Heard Ltd

Unit 4F, Shefford Industrial Estate St Francis Way Shefford Bedfordshire SG17 5DZ

Tel: +44 (0) 330 088 9271 **W:** www.2b-heard.com

Product Name	Stock-Code	List Price £	Images (not to scale)	Description
Corner-Mount (int) NO offset, Vertical, KV52 Unpainted	2B-K-CMV KV52	152.00		Corner-mount (in 2 x parts) for Vyper KV52 (no offset). Join 2 x halves of mount together and fix into a corner. Removal of KV52 II's magnetic front grille reveals 3 x M5 mounting holes. Loudspeaker can be fixed to the mount with self-tapping screws.
Corner-Mount (int) NO offset, Vertical, KV52 Black	2B-K-CMV KV52B	286.00		
Corner-Mount (int) NO offset, Vertical, KV52 White	2B-K-CMV KV52W	286.00		When ordering, please specify: * Colour & Gloss percentage (if ordering the RAL option) loudspeaker -
Corner-Mount (int) NO offset, Vertical, KV52 RAL	2B-K-CMV KV52X	286.00		mount WALL
Corner-Mount (int) with offset, Vertical, KV52 Unpainted	2B-K-CAV KV52	379.00		Corner-mount (in 4 x parts) for Vyper KV52 with horizontal and/or vertical offsets. Join 2 x halves of corner-mount together and fix into a corner. The two angled plates join to create one and are then attached to loudspeaker - complete assembly is slotted over the awaiting corner-mount.
Corner-Mount (int) with offset, Vertical, KV52 Black	2B-K-CAV KV52B	511.00		When ordering, please specify: * Horizontal pan angle
Corner-Mount (int) with offset, Vertical, KV52 White	2B-K-CAV KV52W	511.00		* Vertical tilt angle * Colour & Gloss percentage (if ordering the RAL option)
Corner-Mount (int) with offset, Vertical, KV52 RAL	2B-K-CAV KV52X	511.00		WAL
Corner-Mount (ext) NO offset, Vertical, KV52 Unpainted	2B-K-ECMV KV52	473.00		External-Corner-mount (in 2 x parts) for Vyper KV52, with NO offset. Clip both parts of mount together (dovetail joint) then fix over an external corner. Removal of KV52's magnetic front gri.
Corner-Mount (ext) NO offset, Vertical, KV52 Black	2B-K-ECMV KV52B	605.00		reveals 3 x M5 mounting holes. When ordering, please specify:
Corner-Mount (ext) NO offset, Vertical, KV52 White	2B-K-ECMV KV52W	605.00		* Colour & Gloss percentage (if ordering the RAL option)
Corner-Mount (ext) NO offset, Vertical, KV52 RAL	2B-K-ECMV KV52X	605.00		Wall
Corner-Mount (ext) with offset, Vertical, KV52 Unpainted	2B-K-ECAV KV52	715.00		External-Corner-mount (in 4 x parts) for Vyper KV52, with offset angle plate. Assembled corner mount fits onto corner of wall (as above). Assembled angled plate fits to loudspeaker and is then slotted over the awaiting corner-mount.
Corner-Mount (ext) with offset, Vertical, KV52 Black	2B-K-ECAV KV52B	847.00		When ordering, please specify: * Horizontal pan angle * Vertical tilt angle
Corner-Mount (ext) with offset, Vertical, KV52 White	2B-K-ECAV KV52W	847.00		* Colour & Gloss percentage (if ordering the RAL option) loudspeaker (angled) mount
Corner-Mount (ext) with offset, Vertical, KV52 RAL	2B-K-ECAV KV52X	847.00		Wall



2B-Heard Ltd

Unit 4F, Shefford Industrial Estate St Francis Way Shefford Bedfordshire SG17 5DZ Tel: +44 (0) 330 088 9271

Tel: +44 (0) 330 088 9271 **W:** www.2b-heard.com

Product Name	Stock-Code	List Price £	Images (not to scale)	Description			
Flat-Mounts - for mounting loudspeakers	Flat-Mounts - for mounting loudspeakers within recesses on planar surfaces						
Flat-Mount, KV25 Unpainted	2B-K-FLAT KV25	85.00		Recess-mount for legacy Vyper Is:			
Flat-Mount, KV25 Black	2B-K-FLAT KV25B	149.00		KV25 I mount dims: 260mm x 40mm x 30mm @ 55g			
Flat-Mount, KV25 White	2B-K-FLAT KV25W	149.00		KV52 I mount dims: 520mm x 40mm x 30mm @ 110g			
Flat-Mount, KV25 RAL	2B-K-FLAT KV25X	149.00		Specifically designed for enabling the flush-mounting of Vyper I loudspeakers inside narrow recesses - such as slots in walls, or between panels etc Designed to solve the issue of refitting the front-grille with its side-mounted screws!			
Flat-Mount, KV52 Unpainted	2B-K-FLAT KV52	135.00		Removal of the Vyper's front grille (Torx T10 screws) reveals a pair of mounting holes. Loudspeaker can be fixed to the mount with M5 machine screw/bolt or 4mmØ/Imperial size 8 screws (NOT supplied) and the grille refitted, before fitting the loudspeaker into the recess. The Flat-mount is wider than the loudspeaker and has mounting holes on one side.			
Flat-Mount, KV52 Black	2B-K-FLAT KV52B	208.00		Completed loudspeaker/mount assembly is fitted into slot and the mount is then screwed in-place.			
Flat-Mount, KV52 White	2B-K-FLAT KV52W	208.00		When ordering, please specify: * Colour & Gloss percentage (if ordering the RAL option)			
Flat-Mount, KV52 RAL	2B-K-FLAT KV52X	208.00		Colour & Gloss percentage (i) ordering the NAL option)			
Flat-Mount, KK52/102 Unpainted	2B-K-FLAT KK	188.00		Recess-mount for Kobras: KK52 & 102 mount dims: 210mm x 110mm x 20mm @ 47g When ordering, please specify: * Colour & Gloss percentage (if ordering the RAL option)			
Flat-Mount, KK52/102 Black	2B-K-FLAT KKB	256.00					
Flat-Mount, KK52/102 White	2B-K-FLAT KKW	256.00					
Flat-Mount, KK52/102 RAL	2B-K-FLAT KKX	256.00					
Side-Mounts - secure loudspeakers	to broadcast alor	g line of th	e wall				
Side-Mount, KV25 Unpainted	2B-K-2PSM KV25	263.00		For mounting Vyper KV25s against a wall at more-extreme horizontal angles. Back-plate fixes to planar surface and has locating lugs. Loudspeaker is attached to front plate, which is then slotted over the back-plate.			
Side-Mount, KV25 Black	2B-K-2PSM KV25B	510.00		Dims: 262mm x 40mm x 60mm @ 107g			
Side-Mount, KV25 White	2B-K-2PSM KV25W	510.00		When ordering, please specify: * Vertical % horizontal tilt angles * Colour & Gloss percentage (if ordering the RAL option) Mount			
Side-Mount, KV25 RAL	2B-K-2PSM KV25X	510.00		Wall			



2B-Heard Ltd

Unit 4F, Shefford Industrial Estate St Francis Way Shefford Bedfordshire SG17 5DZ

Tel: +44 (0) 330 088 9271 **W:** www.2b-heard.com

2023 Q2 UK PRICE LIST in UK £ Sterling (Unit prices, VAT excluded). Prices subject to change without notice

2023 Q2 UK PRICE LIST in UK £ Sterling (Unit prices, VAT excluded). Prices subject to change without notice.							
Product Name	Stock-Code	List Price £	Images (not to scale)	Description			
Side-Mount 90 deg, KK Unpainted	2B-K-2PSM9 KK	149.00	.1				
Side-Mount 90 deg, KK Black	2B-K-2PSM9 KKB	320.00		Mount KK52 or KK102 at 90° to a wall Dims: 300 mm x 48 mm x 53 mm @ 92 q			
Side-Mount 90 deg, KK White	2B-K-2PSM9 KKW	320.00		When ordering, please specify: * Colour & Gloss percentage (if ordering the RAL option) Mount sound broadcast parallel to wall			
Side-Mount 90 deg, KK RAL	2B-K-2PSM9 KKX	320.00		Wall			
Pendant-Mounts - for hanging KT	2-series loudspeakers from (above					
Pendant-Mount, KT2 Unpainted	2B-K-PM KT2	73.00		Pendant-mount For Tornado KT2 and KT2L: 70mmØx 70mm @ 30g			
Pendant-Mount, KT2 Black	2B-K-PM KT2B	173.00		KT2 & KT2L are supplied with a fitted metal surface-mount bracket. This can be replaced with our Pendant-mount, enabling the loudspeaker to be suspended on its cable over counters, tables etc to place sound exactly where you need it.			
Pendant-Mount, KT2 White	2B-K-PM KT2W	173.00		The mount fits over the loudspeaker and is held in-place with two key-stone lugs, that slide into place. A grub-crew (supplied) is used to secure the supporting cable. Using the Pendant-mount, a KT2L's integral RGB LEDs can also be used for overhead-illumination of discreet areas.			
Pendant-Mount, KT2 RAL	2B-K-PM KT2X	173.00		When ordering, please specify: * Colour & Gloss percentage (if ordering the RAL option)			
Surface-Mounts - for mounting K-c	Surface-Mounts - for mounting K-array loudspeakers to horizontal surfaces at client-specified vertical offset angles.						
Surface-Mount, KZ14 Unpainted	2B-K-SM KZ14	51.00		Secures Lyzard KZ14 to a horizontal surface: 125mm x 39mm x 22mm @ 15g Removal of KZ14's front grille reveals one mounting hole. Terminate the loudspeaker cable to the KZ14, fit the termina			
Surface-Mount, KZ14 Black	2B-K-SM KZ14B	172.00		end of the 'speaker onto the mount's top retaining-lug, then push the 'speaker onto the mount so that the mounting's lower lug fits into the 'speaker's screw hole. Screw a UNI 6955 type 'C' 2.9mm countersunk tapping screw through the mounting hole - the lug will expand to hold the loudspeaker in-place. The completed assembly can then be fitted to the			
Surface-Mount, KZ14 White	2B-K-SM KZ14W	172.00		horizontal surface. When ordering, please specify:			
				Honzontal pair angle (i) necessary - joi instance, ij mount riselj culmot be positioned at required angle)			

* Vertical tilt angle

* Colour & Gloss percentage (if ordering the RAL option)

2B-K-SM KZ14X

172.00

Surface-Mount, KZ14 RAL



2B-Heard Ltd

Unit 4F, Shefford Industrial Estate St Francis Way Shefford Bedfordshire SG17 5DZ Tel: +44 (0) 330 088 9271

W: www.2b-heard.com

Product Name	Stock-Code	List Price £	Images (not to scale)	Description
Wedge-Mounts, one-part - for mount	ting K-array loudspeaker	s onto planar	surfaces at client-specified horizontal and vertical	offset angles. One-part bracket & loudspeaker fit to wall together as one
Wedge-Mount 1 x pt, KZ14 Unpainted	2B-K-WEDGE KZ14	38.00		One-part Wedge-mount for Lyzard KZ14: 100mm x 22mm x c15mm ¹ @ 9g. The mount is fixed to the wall. The base of the KZ14 is held in-place by the mount's integral retaining-lug. Removal of KZ14's front grille reveals one mounting hole into
Wedge-Mount 1 x pt, KZ14 Black	2B-K-WEDGE KZ14B	99.00		which another of the mount's lugs fits, as the KZ14 os offered up onto the mount. A UNI 6955 type 'C' 2.9mm countersunk tapping screw is then screwed into the mounting-hole, which forces the retaining lug to expand and hold the loudpeaker securely in-place.
Wedge-Mount 1 x pt, KZ14 White	2B-K-WEDGE KZ14W	99.00		When ordering, please specify:
Wedge-Mount 1 x pt, KZ14 RAL	2B-K-WEDGE KZ14X	99.00		* Horizontal pan angle * Vertical tilt angle * Colour & Gloss percentage (if ordering the RAL option)
Wedge-Mount 1 x pt, KV25 Unpainted	2B-K-WEDGE KV25	110.00		One-part Wedge-mount for Vyper KV25 II: 260mm x 40mm x c13mm ¹ @ 60g Mount fixes to the wall/surface. Removal of KV25's magnetically attached front grille reveals two M5 mounting holes. Loudspeaker can be fixed to the mount with 4mmø/ Imperial size 8 screws, or M5 set-screws (NOT supplied). When ordering, please specify:
Wedge-Mount 1 x pt, KV25 Black	2B-K-WEDGE KV25B	174.00		
Wedge-Mount 1 x pt, KV25 White	2B-K-WEDGE KV25W	174.00		* Horizontal pan angle * Vertical tilt angle
Wedge-Mount 1 x pt, KV25 RAL	2B-K-WEDGE KV25X	174.00		* Colour & Gloss percentage (if ordering the RAL option) Depth dimensions of mount determined by offset angles
Wedge-Mount 1 x pt, KV52 Unpainted	2B-K-WEDGE KV52	233.00	_	One-part Wedge-mount wall-mount for Vyper KV52 II: 260mm x 40mm x c30mm ¹ @ 45g
Wedge-Mount 1 x pt, KV52 Black	2B-K-WEDGE KV52B	363.00		Mount fixes to the wall/surface. Removal of KV52's magnetically attached front grille reveals two M5 mounting holes. Loudspeaker can be fixed to the mount with $4mm\emptyset/Imperial$ size 8 screws, or M5 set-screws (NOT supplied).
Wedge-Mount 1 x pt, KV52 White	2B-K-WEDGE KV52W	363.00		When ordering, please specify: * Horizontal pan angle * Vertical tilt angle
Wedge-Mount 1 x pt, KV52 RAL	2B-K-WEDGE KV52X	363.00		* Colour & Gloss percentage (if ordering the RAL option) 1 Depth dimensions of mount determined by offset angles



2B-Heard Ltd

Unit 4F, Shefford Industrial Estate St Francis Way Shefford Bedfordshire SG17 5DZ Tel: +44 (0) 330 088 9271

W: www.2b-heard.com

Product Name	Stock-Code	List Price £	Images (not to scale)	Description			
Wedge-Mounts, two-part - for mounti	Vedge-Mounts, two-part - for mounting K-array loudspeakers onto planar surfaces at client-specified horizontal and vertical offset angles. Two-part bracket & loudspeaker fit to wall separately						
Wedge-Mount 2 x pt, KV25 Unpainted	2B-K-W2P KV25	144.00		Two-part Wedge-mount for legacy Vyper KV25 & 52 I: KV25 mount dims: $260mm \times 40mm \times c27mm^{1}$ @ $100g$			
Wedge-Mount 2 x pt, KV25 Black	2B-K-W2P KV25B	272.00		KV52 mount dims: 500mm x 40mm x c35mm ¹ @ 154g			
Wedge-Mount 2 x pt, KV25 White	2B-K-W2P KV25W	272.00		Rear of mount is flat and secured directly to planar surface/wall. Angled front mount fits to loudspeaker. Removal of Vypers's front grille (Torx T10 screws) reveals M5 holes for fitting to front mount with M5 machine screw/bolt or 4mm Ø/ Imperial size 8 screws (NOT supplied). Loudspeaker and fitted front mount then slide over mating lugs on rear mount.			
Wedge-Mount 2 x pt, KV25 RAL	2B-K-W2P KV25X	272.00	u no qu	When ordering, please specify: * Horizontal pan angle			
Wedge-Mount 2 x pt, KV52 Unpainted	2B-K-W2P KV52	233.00	W W W W W W W W W W W W W W W W W W W	* Vertical tilt angle * Colour & Gloss percentage (if ordering the RAL option)			
Wedge-Mount 2 x pt, KV52 Black	2B-K-W2P KV52B	363.00	O O O O O O O O O O O O O O O O O O O	¹ Depth dimensions of front of mount determined by offset angles			
Wedge-Mount 2 x pt, KV52 White	2B-K-W2P KV52W	363.00					
Wedge-Mount 2 x pt, KV52 RAL	2B-K-W2P KV52X	363.00					
Wedge-Mount 2 x pt, KK Unpainted	2B-K-W2P KK	201.00		Two-part Wedge-mount wall-mount for Kobra KK52 and 102: 210mm x 42mm x c50mm ¹ @ 131g Fits either of the 50cm or 100cm Kobra loudspeakers. Flat rear plate fixes directly to planar surface. Front plate (which			
Wedge-Mount 2 x pt, KK Black	2B-K-W2P KKB	329.00		incorporates any horizontal and/or vertical offset angles) fixes to the rear of the loudspeaker with M5 bolts/machine screws (not supplied). Front plate & loudspeaker assembly then slots into place onto face of rear plate. When ordering, please specify: * Horizontal pan angle * Vertical tilt angle * Colour & Gloss percentage (if ordering the RAL option) 1 Depth dimensions of top & bottom of mount determined by offset angles Two-part Wedge-mount wall-mount for Python KP52 and 102: 442mm x 40mm x c50mm 1 @ 142g Fits either of the 50cm or 100cm Python loudspeakers. Essentially, the same as above, except for dimesnions and weight			
Wedge-Mount 2 x pt, KK White	2B-K-W2P KKW	329.00					
Wedge-Mount 2 x pt, KK RAL	2B-K-W2P KKX	329.00					
Wedge-Mount 2 x pt, KP Unpainted	2B-K-W2P KP	205.00					
Wedge-Mount 2 x pt, KP Black	2B-K-W2P KPB	333.00					
Wedge-Mount 2 x pt, KP White	2B-K-W2P KPW	333.00					
Wedge-Mount 2 x pt, KP RAL	2B-K-W2P KPX	333.00					



2B-Heard Ltd

Unit 4F, Shefford Industrial Estate St Francis Way Shefford Bedfordshire SG17 5DZ Tel: +44 (0) 330 088 9271

Tel: +44 (0) 330 088 9273 **W:** www.2b-heard.com

				2023 Q2 UK PRICE LIST in UK £ Sterling (Unit prices, VAT excluded). Prices subject to change without notice.		
Product Name	Stock-Code	List Price £	Images (not to scale)	Description		
Wodgo Mount 2 v nt VV Unnainted	2B-K-W2P KY	599.00		Two-part Wedge-mount wall-mount for Kayman KY52 and 102		
Wedge-Mount 2 x pt, KY Unpainted Wedge-Mount 2 x pt, KY Black	2B-K-W2P KYB	733.00		Fits either of the 50cm or 100cm Kayman loudspeakers. Flat rear plate fixes directly to planar surface. Front plate (which incorporates any horizontal and/or vertical offset angles) fixes to the rear of the loudspeaker with M5 bolts/machine screws (not supplied). Front plate & loudspeaker assembly then slots into place onto face of rear plate.		
Wedge-Mount 2 x pt, KY White	2B-K-W2P KYW	733.00		When ordering, please specify: * Horizontal pan angle * Vertical tilt angle		
Wedge-Mount 2 x pt, KY RAL	2B-K-W2P KYX	733.00		* Colour & Gloss percentage (if ordering the RAL option) ¹ Depth dimensions of top & bottom of mount determined by offset angles		
Pole-Mounts - for mounting K-array loud	lspeakers onto a 35mm	pole				
Pole-Mount, KY Unpainted	2B-K-POLE KP	120.00		One-part pole-mount for Kayman KY52 / 102: 210mm x 42mm x 37mm @ 77g		
Pole-Mount, KY Black	2B-K-POLE KPB	288.00		Enables a KY52 or KY102 Kayman loudspeaker to be mounted horizontally to a 35mm vertically-aligned pole.		
Pole-Mount, KY White	2B-K-POLE KPW	288.00	WOO GRANT SECOND OF	When ordering, please specify: * Colour & Gloss percentage (if ordering the RAL option)		
Pole-Mount, KY RAL	2B-K-POLE KPX	288.00				
Overhead-Mounts - for mounting K-array sub bass loudspeakers onto an overhead anchor						
Overhead-Mount (pair), KU44 Unpainted	2B-K-OH KU44	132.00		A pair of one-part Overhead-mounts for Rumble KU44: each mount is 40mm x 97mm x 56mm @ 30g		
Overhead-Mount (pair), KU44 Black	2B-K-OH KU44B	435.00		This pair of mounts enables a KU44 sub-bass loudspeaker be mounted against a vertical planar surface, so that the driver and resonator are facing down at the floor. When ordering, please specify: * Colour & Gloss percentage (if ordering the RAL option)		
Overhead-Mount (pair), KU44 White	2B-K-OH KU44W	435.00				
Overhead-Mount (pair), KU44 RAL	2B-K-OH KU44X	435.00				
Overhead-Mount (pair), KU210 Unpainted	2B-K-OH KU210	599.00		A pair of one-part Overhead-mounts for Rumble KU210: <u>each</u> mount is 272mm x 150mm x 32mm @ 93g		
Overhead-Mount (pair), KU210 Black	2B-K-OH KU210B	1,130.00		This pair of mounts enables a KU210 sub-bass loudspeaker be mounted against a vertical planar surface, so that the sub's driver and resonator are facing down at the floor.		
Overhead-Mount (pair), KU210 White	2B-K-OH KU210W	1,130.00		When ordering, please specify: * Colour & Gloss percentage (if ordering the RAL option)		
Overhead-Mount (pair), KU210 RAL	2B-K-OH KU210X	1,130.00				



2B-Heard Ltd

Unit 4F, Shefford Industrial Estate St Francis Way Shefford Bedfordshire SG17 5DZ Tel: +44 (0) 330 088 9771

Tel: +44 (0) 330 088 9271 **W:** www.2b-heard.com

Product Name	Stock-Code	List Price £	Images (not to scale)	Description
Polymer 3D-Printed Brackets Demo	nstration / Evalua	tion kit		
K-Bracket Kit	2B-K-BKIT	350.00		Sales-Demonstration kit of 6 x unpainted mounts, comprising one each of: Ceiling mounts: KZ1 & KZ14 Pendant mount: KT2 / KT2L Surface mount: KZ1 Wedge mounts: KZ14 & KV25
Wall-Brackets in heavy-duty steel -	for KK, KP & KY series i	oudspeakers -	featuring on-site 180 $^{\rm 0}$ horizontal and ±10 $^{\rm 0}$ vertice	cal adjustments
Wall Bracket, KK, KP & KY Black	2B-Wall-1B	386.00		This heavy-duty steel bracket enables up to 2 x Kobra (KK52 & KK102), Python (KP52 & KP102) or Kayman (KY102) loudspeakers to be vertically-mounted one-above-the-other on a wall and to be tilt and/or pan adjusted on-site. Also required are the extra-cost options of either: OPTION 1 - K-array ref K-PMOUNT: This bolts to the base of the loudspeaker and fits over a spigot attached to the mount to
Wall Bracket, KK, KP & KY White	2B-Wall-1W	430.00	K-PMOUNT K-FOOT2 K-JOINT2	provide 360° horizontal pan adjustment. Loudspeaker's vertical alignment is fixed in the perpendicular. A second (same model only) loudspeaker can be mounted above the first using K-array's ref K-JOINT2. The second loudspeaker can then be vertically angled by $\pm 15^{\circ}$. Note that stacked loudspeakers are horizontally adjusted in unison, not in relation to each other.
Wall Bracket, KK, KP & KY RAL	2B-Wall-1X	POA (price dependent upon RAL choice)		OPTION 2 - K-array ref K-FOOT2 & ref K-JOINT2: K-JOINT2 bolts to the base of the loudspeaker and is attached to the K-FOOT2. K-FOOT2 fits over the mount's integral spigot. This combination provides both 180° horizontal pan and $\pm 15^{\circ}$ vertical adjustment. A second (same model only) loudspeaker can be mounted above the first using another K-JOINT2, to create up to a 2m high close-coupled line-array column. Independently of the first loudspeaker in the column, the second loudspeaker can also be vertically angled by $\pm 15^{\circ}$. Note that stacked loudspeakers are horizontally adjusted in unison, not in relation to each other.
Items listed below are K-array accessories. Trade-d	iscount at your usual K-aı	ray rate		
Spigot-Mount adapter, basic	K-PMOUNT	119.00		Fit to bottom of KK, KP or KY loudspeaker to enable direct mounting on top of a 2B-Wall bracket. 360° horizontal adjustment - no vertical adjustment
Joining mechanism with adjustable vertical tilt	K-JOINT2	375.00		Fit to bottom of KK, KP or KY loudspeaker to enable attachment to K-FOOT2 (or to mount on top of second same-model loudspeaker). Integral thumb-wheel enables ±15° vertical tilt-adjustment
Spigot-Mount adapter for K-JOINT2	K-FOOT2	311.00	28-Wall	Fit to bottom of K-JOINT2 to enable direct mounting on top of a 2B-Wall bracket for both 360° horizontal pan and $\pm 15^{\circ}$ vertical tilt adjustments